

SERVICE RECOMMENDATIONS

Fluid	Body Material/Lining	Diaphragm Grade	Notes
Propamine	CI BL,ETFE,GL	B 300	
Propane (Gas or Liquid)	C DI,CS,AL,BR	C HT	Sealed bonnet optional.
Propanol	DI SS,PVDF,CI,BR,HRL	B W,300	
Propionic Acid	ETFE GL,SS,PP	B 214P*	
Propionic/Formic Acid Mixtures	ETFE GL,PP,SS	B 214P*,300	
Propyl Alcohol	CI BR,HRL,SS,ETFE,PP	W 0,8,214P*	Internally polished valves available.
Propylene Chlorhydrin	ETFE GL,PVDF	214P*	
Propylene Glycol	CI AL,BR,SS,GL,ETFE,PP	Q 8,325,W,214P*	
Propylene Oxide, TLV 100 ppm	DI CI,SS,BR,AL,GL	214P*	
Protim	CI DI,ETFE,SS,GL	214P* 226	
Pyridine, TLV 5 ppm	DI ETFE,AL,CI,GL	214P*	
Radioactive Effluents	BL NL,SS,ECTFE,ETFE,PVDF	B HT,325	Sealed bonnet advised. Butyl O-ring seal. SS to ASTM A296 CF8C. Valves internally polished.
Renal Dialysate	SS GL	214P*	
Resorcinol	SS AL,ETFE,GL	214P* B,237	
Rock Salt	PP SRL,HRL,CI,BR	Q B,AA	
Rolling Oil, Cold	C DI,CS,AL,CI,BR,ETFE	226 Q,C,214P*	
Rolling Oil, Hot	C DI,CS,AL,CI,BR,ETFE	226 Q,C,214P*	
Rubber Adhesives	GL CI,ETFE,SS	214P* 226	
Rubber Latex	GL CI,AL,PP,SS,ETFE	C 0,214P*	
Rubber Solution	GL CI,ETFE,SS	214P* 226	
Rum	SS ETFE,BR	W 214P*,300,215(F)	Internally polished valves available.
Saccharin	SS GL,ETFE,HRL	B 0,214P*	
Salicylaldehyde	AL GL,SS,ETFE	214P*	
Salt	PP SRL,HRL,BR,CI	Q B,325	
Saltpetre	PVDF HRL,PP,SS,CI,BR,ETFE	B 0,237,214P*	
Sand	SRL CI	Q B,AA	
Sea Water	BR PP,HRL,CI,NL,ETFE	Q C,325,214P*	
Sequestrol (EDTA)	PP HRL,ECTFE,BL,GL	B 0,214P*	
Sewage	CI HRL,PP,BR,ETFE	Q HT,325,214P*	
Sherry	SS BR,ETFE	W 215(F),214P*	Internally polished valves available.
Silcodyne H.	AL SS,ETFE	C 226,214P*	
Silver Cyanide	PP PVDF,HRL,GL,ETFE	B 0,325,214P*	
Silver Nitrate	HRL GL,SS,PP,PVDF	Q 8,325,214P*	
Silver Plating Solutions	BL PP,ECTFE,HRL,GL	B 300,214P*,325	
Size (Paper Makers)	PP HRL,ECTFE,GL,ETFE	Q AA,325,B,300,214P*	
Slaked Lime	CI SRL,PP,BR,HRL	Q B,AA,325	
Slip (Pottery)	SRL CI	Q AA	
Skydrol	CI SS	300 226	
Soap Lye	CI BL,PP,HRL,GL	300 0,B,HT,325	
Soap Solutions	CI SS,ECTFE,BR	Q B,300	
Soda Ash	CI SRL,PP,BR,SS	Q B,325,AA	
Sodium Acetate	PP PVDF,HRL,SS,ETFE	Q B,325,300,214P*	
Sodium Aluminate (Bayer Process Fluids)	SRL CI,DI	Q B,325	
Sodium Aluminate (Other Uses)	CI HRL,PP	Q B,300	
Sodium Arsenate	PP HRL,ETFE,CI	Q B,325	
Sodium Bicarbonate	CI HRL,PP,SS,BR	Q B,325	
Sodium Bichromate	CI AL,HRL,GL,ETFE,PVDF,PP	B 237,325,214P*	
Sodium Bisulphate	HRL PP,BR,SS,ETFE,PVDF	Q B,325,214P*	
Sodium Bisulphite	PP HRL,ETFE,SS,BR	Q B,325	
Sodium Borate	PP PVDF,HRL,BR,SS	B 0	
Sodium Bromate	ETFE BL,HRL,BR,GL,SS	Q B,325	
Sodium Bromide	PVDF BL,HRL,BR,GL	Q B,325	
Sodium Carbonate	CI SRL,PP,SS,BR	Q B,325,AA	
Sodium Carboxymethyl Cellulose	CI PP,AL,BR	Q B,W,325	
Sodium Chloracetate	PP CI,BR,HRL	Q B,C	
Sodium Chlorate	ETFE SS,PP,BR,AL,HRL,GL	237 B,214P*	
Sodium Chloride	PP SRL,HRL,BR,CI	Q B,325	
Sodium Chlorite	PFA GL,HRL	P5/P3 226,P2,237,325	
Sodium Chromate	CI ETFE,GL,AL,BR,SS,PVDF	Q 237,214P*	
Sodium Citrate	SS HRL,PP	Q B,325	Sealed bonnet available. Nitrile O-ring seal.
Sodium Cyanide	PP HRL,ECTFE,CI,ETFE,PVDF	Q B,325,214P*	Sealed bonnet advised. Nitrile O-ring seal.
Sodium Dichromate	GL PVDF,PP	214P* B,325	
Sodium Hydroxide	CI PP,HRL,SS,ETFE,PVDF	B 0,300,325,214P*	
Sodium Hydroxide (Oily)	CI DI,SS	HT	